



VORLD CLASS BLUE POV/ER INNOVATION

More power, comfort and safety. Meet the high-powered pick-up truck with an engine that's ready for anything.

With more than 85 years of innovation experience, we know how to build the best pick-up truck to suit your needs.



INNOVATE FOR

MORE POV/ER

The 1.9L Blue Power engine might be compact, but still packs a heavy punch. So how did we give our engine more power, without compromising on efficiency?



WE PUT IN MORE:



POWER

Confidently take on any challenge.



TORQUE

No job too tough, no adventure too difficult.



FUEL EFFICIENCY

Go further on less.



ENVIRONMENTAL FRIENDLY

A greener peace of mind.



DURABILITY

Last longer than your competitors.





WEIGHT

Lighter and more agile to handle any task.



FRICTION

Smoother rides, guaranteed.



CO2 EMISSION

Effective engine that uses cleaner energy.



NOISE


Music to our ears.



MAINTENANCE

So you can get to doing all the important things.






6 SPEED AUTOMATIC TRANSMISSION

RevTronic Transmissions lets you switch into an exciting Sports Mode with ease. Accurate, durable and responsive, driving is a pleasure with two overload drives on gears 5 and 6.

*(on the 1.9L model)



6 SPEED MANUAL TRANSMISSION

Great start, strong acceleration. Be in complete control of the drive no matter where you go. Comes with two overload drives on gears 5 and 6.

*(on the 1.9L model)



5 SPEED MANUAL TRANSMISSION

Full power with every drive. Superior performance and durability no matter the drive.

*(on the 3.0L model)




GEAR SHIFT INDICATOR

Maximise performance. Indicators let you know exactly when to switch gears for an efficient drive every time.

First EEV Certified pick-up truck




3.OL 4JJ1-TCX ENGINE



ENGINE SPEED [rpm]

1.9L RZ4E-TC ENGINE



ENGINE SPEED [rpm]





Designed for every work condition so that each ride is a smooth, stable experience.

WIDER & TOUGHER CHASSIS DESIGN Bigger, broader, tougher; ready for any adventure.

IDEAL WEIGHT DISTRIBUTION DESIGN

Never be off-balance, even on the toughest of roads.





No matter the road condition, Isuzu's got it under control with our superior 2H, 4H or 4L Terrain Control.



CLIMBING STABILITY


We know life isn't always a smooth road, so no matter the angle, conquer with confidence:

- 30° Departure Angle
- 22.7° Arrival Angle
- 49° Side Slope Angle

A SMOOTHER JOURNEY

We enhanced the vehicle's handling abilities with these additional features:

- Soft Ride Spring
- Terrain Command: Take on any road condition without fear.
- High Ground Clearance: 235mm





We improved the performance not only under the hood, but also the outer design of the vehicle, making it sharper, aggressive and solid.

NEW FRONT GRILLE DESIGN

An updated look for updated performance.

NEW LED HEADLAMP WITH DAYTIME RUNNING LIGHT (DRL)

Never be caught off-guard when you can keep roads illuminated, no matter the condition.

NEW ALLOY RIMS

18" of pure style and personality.







PREMIUM SEATING

- Stylish Leather fabric seats for ultimate comfort.
- Premium Sporty design to give your interiors an edge.
- *(for 4x4 AT premium only)

- Comfortable and long-lasting.
- Leather details are soft, yet durable, while Fabric elements are cooling and breathable.



CONTROL AT YOUR FINGERTIPS

Infotainment Illumax 8" touch-screen dashboard lets you see and control everything at a glance, complete with GPS and 8 speakers.

*(4x2 AT Premium may be vary from image shown)



PASSIVE ENTRY AND START SYSTEM (PESS)

Never lose your keys again — seamless entry and start up without ever having to take anything out of your pocket.



AUTO FOLD SIDE MIRRORS

Save a little space for tricky parking situations.



BACK SEAT CHARGING

Don't let passengers crowd the front dash with new USB slots available for backseats.



SMART CLIMATE CONTROL SYSTEM

Keep cool, just the way you like it.



UPDATED INTERIOR DASH PANEL

New soft-touch materials lend a premium touch for your interior.

MORE SAFETY

No matter where adventure takes you, know that the new Isuzu D-Max models come with extensive safety features to keep you safe.



REVERSE CAMERA

Like eyes on the back of your head, easily manoeuvre around sticky situations at a glance.

*(Available in Premium models only)



+6 AIRBAGS

No matter the impact, safety comes first with added airbag protection.

*(for 3.0L Premium only)



SAFER SEATING

The D-Max cabin is made from High Tensile Steel. Strong and rigid for passenger safety. Our Tailor-Welded Blank construction technique ensures additional protection.

ADVANCED SAFETY FEATURES:



Keep steering control and handling even while brakes are applied:

- ABS (Anti-Lock Braking System)
- EBD (Electronic Brake-force Distribution)
- BA (Brake Assist)

Prevents the vehicle from skidding and suppresses engine output to help regain control:

• Electronic Stability Control (ESC)

Keep control of your vehicle even on difficult road conditions:

• In-built Traction Control System (TCS)

Hill Descent Control (HDC)

No matter the challenge, handle it on your own terms. *(available for all models)



Hill Start Assist (HSA)


Allows you to start your vehicle on an incline without fear of rolling backwards


SPECIFICATIONS (PREMIUM)

| | | DOUBLE CAB 1.9L 4X2 | DOUBLE CAB 1.9L 4X4 | DOUBLE CAB 3.0L 4X4 | | |
|----------------------------------|-------------|--|---|--|--|--|
| | | 1.9L 4X2 AT HIGH-RIDE | 1.9L 4X4 AT PREMIUM | 3.0L 4X4 AT PREMIUM | | |
| Model Code | | | TFR87JDR-TLPH TFS87JDR-TLPH | | | |
| ENGINE | | IFRO/JDR-ILPH | IF387JDR-ILPH | TFS85JDR-TLPH | | |
| | | RZ4F | TC | 4JJ1-TCX | | |
| Model | | In-Line 4-Cylinder VGS Turbo | | In-Line 4-Cylinder VGS Turbo Intercooler Diesel DOHC 16V | | |
| Type Displacement (cc) | | 1,8 | | 2,999 | | |
| Maximum Output (kW (PS) / rpm) |) [ICO NET] | 110 (150 | | 130 (177) / 3,600 | | |
| Maximum Torque (Nm / rpm) [ISO | - | 350 / 1,80 | | 380 / 1,800 - 2,800 | | |
| Fuel System | J NLI] | Direct Injection Elec | | Direct Injection Electronic Commonrail | | |
| TRANSMISSION | | Direct injection Elec | ctronic confinding | Direct Injection Electronic Commonran | | |
| | | 6-Speed Automatic v | with Coguantial Chift | 5-Speed Automatic with Sequential Shift | | |
| Type | | 6-Speed Automatic V | vicii Sequenciai Siint | 5-Speed Automatic with Sequential Shift | | |
| SUSPENSION & BRAKES | | - 1 1 2 11 11 11 | | | | |
| Suspension | Front | Independent Double Wishbones | | Independent Double Wishbones with Coil Springs & Stabilizers | | |
| Charle Abasebase | Rear | Semi-Elliptica | · · · | Semi-Elliptical Leaf Springs | | |
| Shock Absorber | | All Wheels Hydraulic Do | • | All Wheels Hydraulic Double Action Telescopic | | |
| Brakes | Front | Ventilated Disc wi | · | Ventilated Disc with 2-Pot Calipers | | |
| CTTTDING | Rear | Leading & Tra | alling Drums | Leading & Trailing Drums | | |
| STEERING Character Curbons | | David O Division David | Character Countries | Darle O Dining Dawn Changing Contagn | | |
| Steering System | | Rack & Pinion Powe | Rack & Pinion Power Steering System | | | |
| Min. Turning Radius (m) | | 6. | 6.3 | | | |
| TYRES & WHEELS | | 255/60040 All 0.4 | | 255/60040 All 0.18 1 T T | | |
| Tyres & Wheels | | 255/60R18, Alloy & H | 255/60R18, Alloy & Highway Terrain Tyres | | | |
| Spare Tyre & Wheel | | 255/60R18, Alloy & H | 255/60R18, Alloy & Highway Terrain Tyres | | | |
| WEIGHT & CAPACITIES | | 4.045 / 2.400 | 1,910 / 2,500 | 4.070./2.500 | | |
| Kerb / Gross Vehicle Weight (kg) | | 1,815 / 2,400 5-Pe | 1,970 / 2,500 5-Person | | | |
| Seating Capacity | | 5-Pe | 76 | | | |
| Fuel Tank Capacity (L) | | | <u> </u> | 76 | | |
| EXTERIOR FEATURES | | D: LED I | | Di LED Donis stan | | |
| Headlamps | | Bi-LED P | Bi-LED Projector LED | | | |
| Daytime Running Lights (DRL) | | | LED Manual | | | |
| Headlamp Levelling | | Man | Manual Equipped | | | |
| Front Fog Lamps | | Equip | | | | |
| Antenna | | Shark-F | Shark-Fin Type | | | |
| Roof Rails | | Equip | Equipped | | | |
| Door Outer Mirrors | | Chrome - Power Ad with LED Integrat | Chrome - Power Adjust, Auto Folding with LED Integrated Turn Indicator | | | |
| Rear Combination Lamps | | LE | LED | | | |
| Rear Bumper | | One Step Type with Ch | nrome Plating Finished | One Step Type with Chrome Plating Finished | | |
| Side Steps | | Equip | | Equipped | | |
| Bed Liner | | Equip | • | Equipped | | |
| Sports Bar | | Opti | | Optional | | |
| Cargo Tray | | Opti | Optional | | | |
| Tailgate Assist | | Opti | Optional | | | |

DIMENSIONS (Units: mm)









| | | | DOUBLE CAB 1.9L 4X2 | DOUBLE CAB 3.0L 4X4 | | | |
|-----------------------------|---------------------------|-----------|--|---|--|--|--|
| | | | 1.9L 4X2 AT HIGH-RIDE TFR87JDR-TLPH | 3.0L 4X4 AT PREMIUM TFS85JDR-TLPH | | | |
| INTERIOR FEATURES | | | | | | | |
| Meter Panel | | | e-LUMAX with Advance | Multi-Information Display | e-LUMAX with Advance Multi-Information Display | | |
| Steering Wheel | | | 3-Spoke Leath | er Wrapped with | 3-Spoke Leather Wrapped with | | |
| | | 1 | Audio & Hand | s Free Switches | Audio & Hands Free Switches | | |
| Dash & Door Panel | Soft Touch | | Equi | ipped | Equipped | | |
| Audio System | Audio System Type Speaker | | | | Multimedia DVD Player with 8" Touch Screen, GPS Navigation, Smart Mirroring, Wi-Fi, AM/FM, MP3, AUX, USB, IPod & Bluetooth | | |
| | | | 8 (with Roof Speakers) | 8 (with Roof Speakers) | | | |
| Climate Control | | | Automatic | Automatic | Automatic | | |
| Passive Entry & St | art System (PESS | ;) | Equipped | Equipped | Equipped | | |
| USB Charging Port | (Front & Rear) | | Equipped | Equipped | Equipped | | |
| Central Locking | | | Equipped with Speed Ser | Equipped with Speed Sensing Automatic Door Lock | | | |
| | Material | | Premium Fabric | Combination Premium Leather & Fabric | Combination Premium Leather & Fabric | | |
| | F . C . | Driver | 6-way Manual Adjustable Sep | arate Type with Bucket Support | 6-way Manual Adjustable Separate Type with Bucket Support | | |
| Seats | Front Seat | Passenger | 4-way Manual Adjustable Sep | arate Type with Bucket Support | 4-way Manual Adjustable Separate Type with Bucket Support | | |
| | | | 60:40 Split, Fold Up | & Down Configuration | 60:40 Split, Fold Up & Down Configuration | | |
| | Rear Seat | Туре | with Center | er Arm Rest | with Center Arm Rest | | |
| Power Windows | | | Equipped with Jam Protect | Equipped with Auto Up/Down & Jam Protection for Driver | | | |
| Terrain Command 4X4 System | | | Without | Equipped | | | |
| Middle Console Box | | | Soft Touch Arm F with Rear | Soft Touch Arm Rest Compartment with Rear Cup Holder | | | |
| Power Outlet | | | Inside Top T | Inside Top Tier Glove Box | | | |
| SAFETY FEATURE | is | | | | | | |
| SRS Airbags | | | Dual - Driver & | 6 - Driver, Front Passenger, Side & Curtain | | | |
| Anti-lock Brake Sy | stem (ABS) | | Equi | Equipped | | | |
| Electronic Brake-fo | rce Distribution (| (EBD) | Equi | Equipped | | | |
| Brake Assist (BA) | | | Equi | Equipped | | | |
| Hill Start Assist (H | SA) | | Equi | Equipped | | | |
| Hill Descent Contro | ol (HDC) | | Equi | Equipped | | | |
| Electronic Stability | Control (ESC) | | Equi | Equipped | | | |
| Traction Control Sy | stem (TCS) | | Equi | Equipped | | | |
| Body Construction | | | Tailor Blank Welde | Tailor Blank Welded High Tensile Steel | | | |
| Side Door Impact Beams | | | Equi | Equipped | | | |
| Collapsible Steering Column | | | Equi | Equipped | | | |
| Seat Belts | | | 3-Point ELR for All Occu with Load Limite | 3-Point ELR for All Occupants plus Pre-Tensioner with Load Limited for Front Seats | | | |
| Child Seat Anchorage | | | ISO FIX with Top T | ISO FIX with Top Tether for Rear Seat | | | |
| Child Protector Safety Lock | | | Equipped (| Equipped (Rear Door) | | | |
| Reverse Camera | | | Equipped (with | Equipped (with Parking Guide) | | | |
| Reverse Sensors | | | Equi | Equipped | | | |
| SECURITY FEATU | JRES | | | | | | |
| Vehicle Security Sy | /stem | | Anti-Theft Alarm System | with Key-Coded Immobilizer | Anti-Theft Alarm System with Key-Coded Immobilizer | | |

AVAILABLE COLOURS













RED SPINEL





Authorised Dealer



- Visual and specification show in this leaflet may differ from actual model.
- Isuzu Malaysia S/B reserve the right to change the technical specification and features without prior notice.
- All optional accessories are subject to additional charges.

ISUZU MALAYSIA SDN.BHD. (664946-H)

501D, LEVEL 5, TOWER D, UPTOWN 5, NO. 5, JALAN SS21/39, DAMANSARA UPTOWN, 47400 PETALING JAYA, SELANGOR DE. GENERAL LINE: 03-7723 9777
































- Visual and specification show in this leaflet may differ from actual model.
- Isuzu Malaysia S/B reserve the right to change the technical specification and features without prior notice.
- All optional accessories are subject to additional charges.

ISUZU MALAYSIA SDN.BHD. (664946-H)

501D, LEVEL 5, TOWER D, UPTOWN 5, NO. 5, JALAN SS21/39, DAMANSARA UPTOWN, 47400 PETALING JAYA, SELANGOR DE. GENERAL LINE: 03-7723 9777



































SAY HELLO TO YOUR NEV/EST COV/ORKER

Tough, resilient, and able to handle any task.

With over 85 years in building engines and pick-up truck, we know how to create the best vehicle for the job. Why is the D-Max the most trusted pick-up truck? Because we made the interior even more comfortable with the addition of the 19MY D-MAX New Features. And our long history of producing diesel and commercial engines guarantees durable and reliable machines every time.

ISUZU D-MAX FUNDAMENTAL FEATURES

- INTERIOR COMFORT
- UNIVERSAL DESIGN
- INNOVATIVE DIESEL ENGINE
 - DURABILITY
 - SAFETY

INNOVATE FOR MORE POV/ER

The new Isuzu D-Max is full of exciting surprises, all built around the idea of power.





WE PUT IN MORE:



POWER

Confidently take on any challenge.



TORQUE

No job too tough, no adventure too difficult.



FUEL EFFICIENCY

Go further on less.



ENVIRONMENTAL FRIENDLY

A greener peace of mind.



DURABILITY

Last longer than your competitors.

SO YOU CAN ENJOY LESS:



WEIGHT

Lighter and more agile to handle any task.



FRICTION

Smoother rides, guaranteed.



CO2 EMISSION

Effective engine that uses cleaner energy.



NOISE

Music to our ears.



MAINTENANCE

So you can get to doing all the important things.





6 SPEED AUTOMATIC TRANSMISSION

RevTronic Transmissions lets you switch into an exciting Sports Mode with ease. Accurate, durable and responsive, driving is a pleasure with two overload drives on gears 5 and 6.

*Powered by the new 6-speed Automatic Transmission. *(on the 1.9L model)



6 SPEED MANUAL TRANSMISSION

Great start, strong acceleration. Be in complete control of the drive no matter where you go. Comes with two overload drives on gears 5 and 6.

*Powered by the new 6-speed Automatic Transmission. *(on the 1.9L model)



5 SPEED MANUAL TRANSMISSION

Full power with every drive. Superior performance and durability no matter the drive, on the Isuzu 3.0L DDI Blue Power engine model.

*(on the 3.0L model)




AT & MT gear lever and gear knob images above are only available for Premium model.


GEAR SHIFT INDICATOR

Maximise performance. Indicators let you know exactly when to switch gears for an efficient drive every time.

1.9L RZ4E-TC ENGINE



3.OL 4JJ1-TCX ENGINE



ENGINE SPEED [rpm]

INNOVATE FOR MORE STABILITY





Designed for every work condition so that each ride is a smooth, stable experience.

WIDER & TOUGHER CHASSIS DESIGNBigger, broader, tougher; ready for any adventure.


IDEAL WEIGHT DISTRIBUTION DESIGNNever be off-balance, even on the toughest of roads.





No matter the road condition, Isuzu's got it under control with our superior 2H, 4H or 4L Terrain Control.





CLIMBING STABILITY

We know life isn't always a smooth road, so no matter the angle, conquer with confidence:

- 30° Departure Angle
- 22.7° Arrival Angle
- 49° Side Slope Angle

MNOVATE FOR

MORE CONVENIENT



INNOVATE FOR MORE CONVENIENCE

Comfort fabric seats on Isuzu D-Max makes a smooth journey even more comfortable. And our cabin interior was designed according to these design principles:



5454 Taku - Ratiu Specious and comfortable to matter the dealination




b h t Kantan: User-friendly guides for a more seamless experience.



あなたしだい Anata Shidai: Designed for practically any task.

INNOVATE FOR MORE DURABILITY



1. TIMING GEAR AND CHAIN DESIGN

- High performance steel chain
- Lower service cost
- Lower engine noise



2. DLC (DIAMOND-LIKE-CARBON) COATED FUEL INJECTOR NEEDLES

- Extreme heat and pressure tolerant
- Anti-Friction material
- Better performance
- Better fuel consumption



3. GRAPHITE COATING PISTONS INJECTOR NEEDLES

- Prevent cold start engine wear
- Reduce friction
- Increase engine life
- Increase performance
- Lower maintenance

MURE SAFETY

No matter where adventure takes you, know that the new Isuzu D-Max models come with extensive safety features to keep you safe.



Keep steering control and handling even while brakes are applied:

- ABS (Anti-Lock Braking System)
- EBD (Electronic Brake-force Distribution)
- BA (Brake Assist)

Prevents the vehicle from skidding and suppresses engine output to help regain control:

• Electronic Stability Control (ESC)

Keep control of your vehicle even on difficult road conditions:

• In-built Traction Control System (TCS)

Hill Descent Control (HDC)

No matter the challenge, handle it on your own terms. *(available for all models)



Hill Start Assist (HSA)


Allows you to start your vehicle on an incline without fear of rolling backwards


SPECIFICATIONS (TYPE-B)

| | | SINGLE CAB | | DOUBLE CAB 1.9L 4X2 | | DOUBLE CAB 1.9L 4X4 | | | DOUBLE CAB V-CROSS 4X4 | |
|-----------------------------|------------------|---|---|---|---------------------------------------|--------------------------|---|--|------------------------|--|
| | | 1.9L 4X4 MT | 3.0L 4X4 MT | 1.9L 4X2 MT LOW-RIDE | 1.9L 4X2 MT HIGH-RIDE | 1.9L 4X4 MT Type-B | 1.9L 4X4 MT PREMIUM | 1.9L 4X4 AT Type-B | 3.0L 4X4 MT Type-B | |
| Model Code | | TFS87JSR-RAPH | TFS85JSR-RAPH | TFR87JDR-RAPN | TFR87JDR-RAPN | TFS87JDR-RAPH | TFS87JDR-RLPH | TFS87JDR-TAPH | TFS85JDR-RAPH | |
| ENGINE | | | | <u> </u> | | | <u> </u> | | <u> </u> | |
| Model | Model | | 4JJ1-TCX | RZ4E-TC 4JJ1-TCX | | | | | | |
| Туре | | | RZ4E-TC 4JJ1-TCX RZ4E-TC 4JJ1-TCX In-Line 4-Cylinder VGS Turbo Intercooler Diesel DOHC 16V | | | | | | | |
| Displacement (cc) | | 1,898 | · · · · · · · · · · · · · · · · · · · | | | | | | | |
| Maximum Output (kW (PS) | / rpm) [ISO NET] | 110 (150) / 3,600 | 130 (177) / 3,600 | | 130 (177) / 3,600 | | | | | |
| Maximum Torque (Nm / rpm | | 350 / 1,800 - 2,600 | 380 / 1,800 - 2,800 | 110 (150) / 3,600 350 / 1,800 - 2,600 | | | | | 380 / 1,800 - 2,800t | |
| Fuel System | | Direct Injection Electronic Commonrail | | | | | | | | |
| TRANSMISSION | | | | | <u> </u> | | | | | |
| Туре | | 6-Speed Manual with Gear Shift Indicator (GSI) | 5-Speed Manual with Gear Shift Indicator (GSI) | 6-Speed Manual with Gear Shift Indicator (GSI) 6-Speed Automatic with Sequential Shift | | | | 5-Speed Manual with Gear Shift Indicator (GSI) | | |
| SUSPENSION & BRAKES | | | | | | | | | | |
| | Front | | | | Independent Double Wis | hbones with Coil Spring | ıs & Stabilizers | | | |
| Suspension | Rear | Heavy Duty Semi-E | lliptical Leaf Springs | | | tical Leaf Springs | , | | | |
| Shock Absorber | | , , | | | · · · · · · · · · · · · · · · · · · · | c Double Action Telesco | pic | | | |
| | Front | | | | , | oisc with 2-Pot Calipers | r · | | | |
| Brakes | Rear | | | | | & Trailing Drums | | | | |
| STEERING | | | | | | | | | | |
| Steering System | | Rack & Pinion Power Steering System | | | | | | | | |
| Min. Turning Radius (M) | | 6 | .3 | 6.0 6.3 | | | | | | |
| TYRES & WHEELS | | | | | | | | | | |
| Tyres & Wheels | | 245/70R | 16, Steel | 215/70R15C, Alloy 245/70R16, Alloy | | 255/60R18, Alloy | 245/70R16, Alloy | | | |
| Spare Tyre & Wheel | | 245/70R16, Steel | | 215/70R15C, Steel | 245/70R16, Steel | | 255/60R18, Alloy | 245/70R16, Steel | | |
| WEIGHT & CAPACITIES | | | | | | | | | | |
| Kerb / Gross Vehicle Weight | (kg) | 1,805 / 2,800 | 1,855 / 2,800 | 1,720 / 2,700 | 1,785 / 2,700 | 1,895 / 2,800 | 1,935 / 2,500 | 1,910 / 2,800 | 1,935 / 2,800 | |
| Seating Capacity | | 2-Person 5-Person | | | | | | | | |
| Fuel Tank Capacity (L) | | 76 | | | | | | | | |
| EXTERIOR FEATURES | | | | | | | | | | |
| Headlamps | | Multi-Reflector Halogen | | | | Bi-LED Projector | Multi-Reflector Halogen | | | |
| Daytime Running Lights (DF | RL) | Without | | | | LED | Without | | | |
| Headlamp Levelling | | Without | | | | Manual | Without | | | |
| Front Fog Lamps | Front Fog Lamps | | Without | | | Equipped | Without | | | |
| Door Outer Mirrors | | Black - Power Adjus | | Body Coloured - Power Adjust with LED Integrated Turn Indicat | | grated Turn Indicator | Chrome - Power Adjust, Folding with LED Integrated Turn Indicator | Body Coloured - Power Adjust with LED Integrated Turn Indicator | | |
| Rear Bumper | | Without | | Without | One Step Type with Black Paint | | One Step Type with Chrome Plating Finished | One Step Type with Black Paint | | |
| Bed Liner | | Without | | Equipped | | | | | | |
| Side Steps | | Wit | hout | Optional | | Equipped | Optional | | | |
| Sports Bar | | Wit | hout | Optional | | | | | | |
| Cargo Tray | | Wit | hout | Optional | | | | | | |
| Tailgate Assist | | Wit | hout | | | Optional | | | | |

DIMENSIONS (Units: mm)





















| | | | SING | E CAB | DOUBLE CA | AB 1.9L 4X2 | | DOUBLE CAB 1.9L 4X4 | | DOUBLE CAB V-CROSS 4X4 | |
|-----------------------------|----------------------|--|--|---|----------------------|--|--|--|--|-------------------------|--|
| | | | 1.9L 4X4 MT | 3.0L 4X4 MT | 1.9L 4X2 MT LOW-RIDE | 1.9L 4X2 MT HIGH-RIDE | 1.9L 4X4 MT Type-B | 1.9L 4X4 MT PREMIUM | 1.9L 4X4 AT Type-B | 3.0L 4X4 MT Type-B | |
| Model Code | | TFS87JSR-RAPH | TFS85JSR-RAPH | TFR87JDR-RAPN | TFR87JDR-RAPN | TFS87JDR-RAPH | TFS87JDR-RLPH | TFS87JDR-TAPH | TFS85JDR-RAPH | | |
| INTERIOR FEATUR | INTERIOR FEATURES | | | | | | | | | | |
| Meter Panel | Meter Panel | | Standard with Information Display | | | | | e-LUMAX with Advance Multi-Information Display | Standard with Information Display | | |
| Steering Wheel | | | 3-Spoke Urethane | | | 3-Spoke Leather Wrapped | | 3-Spoke Leather Wrapped with Audio & Hands Free Switches | 3-Spoke Lea | 3-Spoke Leather Wrapped | |
| Dash & Door Panel S | Soft Touch | | Without | | | | | Equipped | Wit | hout | |
| Audio System | Audio System Type | | 1-Din CD Player, AM/FM, MP3, AUX & USB | | | 2-Din CD Player, AM/FM, MP3, AUX, USB, IPod & Bluetooth | 2-Din CD Player, AM/FM, MP3, AUX, USB, IPod & Bluetooth | Multimedia DVD Player with 8" Touch Screen, GPS Navigation, Smart Mirroring, WiFi, AM/FM, MP3, AUX, USB, IPod & Bluetooth | 2-Din CD Player, AM/FM, MP3, AUX, USB, IPod & Bluetooth | | |
| | Speaker | | | | 2 | 4 | 1 | 8 (with Roof Speakers) | | 4 | |
| Climate Control | | | | | Manual | | | Automatic | Ma | nual | |
| Passive Entry & Star | rt System (PESS) | | | | Without | | | Equipped | Wit | nout | |
| USB Charging Port (| (Front & Rear) | | | | Without | | | Equipped | Without | | |
| Central Locking | | | Equi | pped | | | Equipped with Speed Ser | sing Automatic Door Lock | | | |
| | Material | | | | Fa | bric | | Premium Fabric | Fa | oric | |
| Seats | Front Seat | Туре | | | | Separate Type with Bucke | t Support | | | | |
| | Rear Seat | Туре | Wit | nout | 60:40 | Split, Fold Up & Down Cor | nfiguration with Center Ar | m Rest | 60:40 Split, Fold Up & Down Configuration | | |
| Power Windows | | Equi | pped | Equipped with Auto Down for Driver | | | Equipped with Auto Up/Down & Jam Protection for Driver | Equipped with Auto Down for Driver | | | |
| Terrain Command 4 | X4 System | | Equi | pped | Without | | | Equipped | | | |
| Middle Console Box | Middle Console Box | | Tray Type C | ompartment | Arm Rest Compartment | | | Soft Touch Arm Rest Compartment with Rear Cup Holder | Arm Rest Compartment | | |
| Power Outlet | | | Without | | | | Inside Top Tier Glove Box | Wit | hout | | |
| SAFETY FEATURES | S | | | | | | | | | | |
| SRS Airbags | | | Dual - Driver & Front Passenger | | | | | | | | |
| Anti-lock Brake Syst | tem (ABS) | | Equipped | | | | | | | | |
| Electronic Brake-for | rce Distribution (El | BD) | Equipped | | | | | | | | |
| Brake Assist (BA) | | | Equipped | | | | | | | | |
| Hill Start Assist (HS. | SA) | | Equipped | | | | | | | | |
| Hill Descent Control | I (HDC) | | Equipped | | | | | | | | |
| Electronic Stability (| Control (ESC) | | Equipped | | | | | | | | |
| Traction Control Sys | stem (TCS) | | Equipped | | | | | | | | |
| Body Construction | | Tailor Blank Welded High Tensile Steel | | | | | | | | | |
| Side Door Impact Beams | | Equipped | | | | | | | | | |
| Collapsible Steering Column | | Equipped | | | | | | | | | |
| Seat Belts | | 3-Point ELR for All Occupants plus Pre-Tensioner with Load Limited for Front Seats | | | | | | | | | |
| Child Seat Anchorage | | Wit | nout | ISO FIX with Top | | | Tether for Rear Seat | | | | |
| Child Protector Safety Lock | | Wit | nout | Equipped (Rear D | | | (Rear Door) | | | | |
| Reverse Camera | | | Wit | Without Equipped (with Parking Guide) Without | | | | nout | | | |
| Reverse Sensors | | Without Equipped | | | | | | | | | |
| SECURITY FEATUR | RES | | | | | | | | | | |
| Vehicle Security System | | | Immobil | mmobilizer Only Anti-Theft Alarm System with Key-Coded Immobilizer | | | | | | | |







DIMENSIONS (Units: mm)











MAGNUM WHITE

SILKY PEARL WHITE*

TITAN SILVER

SAPPHIRE BLUE STALLION BLACK